

References:

1. International Diabetes Federation. IDF Diabetes Atlas 2025. 11th ed. International Diabetes Federation; 2025. Accessed August 10, 2026. <https://diabetesatlas.org/resources/idf-diabetes-atlas-2025/>
2. World Health Organization. Diabetes fact sheet. World Health Organization. Published 2024. Accessed August 10, 2026. <https://www.who.int/news-room/fact-sheets/detail/diabetes>
3. Lin J, Ge L, Liew H, et al. Rapid access from primary care to a multidisciplinary clinic at tertiary care improves clinical outcomes for patients with diabetic foot ulcers: results from Diabetic Foot in Primary and Tertiary (DEFINITE) Care's Lower Extremity Amputation Prevention Program (LEAPP) clinic. *Int J Low Extrem Wounds*. 2025;24(1):102-108. <https://doi.org/10.1177/15347346241252200>
4. Wang C, Mai L, Yang C, et al. Reducing major lower extremity amputations after the introduction of a multidisciplinary team in patient with diabetes foot ulcer. *BMC Endocr Disord*. 2016;16(1):38. <https://doi.org/10.1186/s12902-016-0111-0>
5. Manji A, Basiri R, Harton F, Rommens K, Manji K. Effectiveness of a multidisciplinary limb preservation program in reducing regional hospitalization rates for patients with diabetes-related foot complications. *Int J Low Extrem Wounds*. 2025;24(1):117-123. <https://doi.org/10.1177/15347346241238458>