

References

1. Brittain MG, Flanagan S, Foreman L, Teran-Wodzinski P. Physical therapy interventions in generalized hypermobility spectrum disorder and hypermobile Ehlers-Danlos syndrome: a scoping review. *Disabil Rehabil.* 2024;46(10):1936-1953. <https://doi.org/10.1080/09638288.2023.2216028>
2. Hsieh RL, Peng HL, Lee WC. Short-term effects of customized arch support insoles on symptomatic flexible flatfoot in children: a randomized controlled trial. *Medicine (Baltimore).* 2018;97(20):e10655. <https://doi.org/10.1097/MD.00000000000010655>
3. Jensen AM, Andersen JQ, Quisth L, Ramstrand N. Finger orthoses for management of joint hypermobility disorders: relative effects on hand function and cognitive load. *Prosthet Orthot Int.* 2021;45(1):36-45. <https://doi.org/10.1177/0309364620956866>
4. Kotler DH, Buckner M, Fetalino L, Sliwa J. Inpatient rehabilitation for Ehlers-Danlos syndrome. *Academy Annual Meeting Journal of Proceeding*, 2014.
5. Snowdon N, Dadla S. Perceptions and experiences of allied health professionals of fabric orthoses for people with joint hypermobility syndromes: a qualitative study. *Int J Ther Rehabil.* 2023;30(8):1-14. <https://doi.org/10.12968/ijtr.2022.0148>