

2016 ANNUAL MEETING & FORTIETH ANNIVERSARY CELEBRATION
40 FOR THE FUTURE

WELCOME



About Us



- Founded in 2000.
- In 2012 we moved to a new facility (140,000 sf.)



- In September 2013 we opened our branch in the United States



- Over 300 machines installed and producing in all 5 continents, in over 20 countries



Our Products



Carousel



Shuttle



RR 7030




ROTOLINE®

Open Flame




40th
ANNIVERSARY
ASSOCIATION OF ROTATIONAL MOLDERS



ROTOLINE®

Lab 0.50



Disadvantages of Rotomolding versus other Processes


- Lack of Process Automation
- Labor Intensive
- Limited Production Rates
- Difficulty to produce Multilayer products



New Product

TNC System






TNC System







Advantages

- Fully automated
- Faster cycles
- Manufactures multilayer tanks from 70 up to 320 gal. (250 up to 1,200 liters).
- Produces up to 12,300 multilayer tanks per month with only two operators.
- Low operating costs.
- Fast return on investment.



New Product


TQ-50 System




Main Problems of Rotomolding Large Tanks

- Opening/Closing molds for large tanks
- Weighing and dispensing large amounts of powder
- Demolding a large tank

TQ-50 System





Advantages

- Fully automated
- Produces up to one 6,600 gal. (25,000 lts.) tank per hour
- Safe opening/closing molds operation
- Only requires two operators.
- Fast return on investment.

Thanks for your time

